

AIRFORCE HOVER MOWER

Air Force offers the best power, performance and durability. Better materials and modern construction methods make Air Force the best hover mower.

F-19 Gen 3

Cutting Width	19"
Cutting Height	1"- 2 ½" 2 ¾"- 3 ¾" with Hi-Lift Kit
Dry Weight	33lbs.
Engine	Ducar DVO 150
Deck	Nylon Injected Polymer
Impeller	Diameter = 14" Height = 1 ½"
Handle	Length = 53" Thickness = .0725"



It is important to note that the engine on the F-19 Gen 3 is a four-stroke engine and is limited to 45 degrees angle of constant use or risk engine damage not covered under warranty. Please contact Seago with any questions about engine performance, limitations or longevity.



AIR FORCE BLADE OPTIONS [ALL]



SS Blade System (Standard) Hardened Stainless Steel reversible and sharpenable



QC BLADE SYSTEM Hardened steel insert surrounded by nylon casing



FLEXIBLADE CUTTING SYSTEM Cutting line with solid core and serrated edges

Strengthened Shut Off Handle for Increased Longevity



NEW Nylon Injected Polymer Deck Is Now 3X Stronger Than Previous Decks. NEW Design Increases Mowing Stability and It Will Now Accept Optional Hi-Lift Kit.



Cutting Width	15"
Cutting Height	34" - 1 34" 2" - 3" with Hi-Lift Kit
Dry Weight	22lbs.
Engine	JN-60 2-stroke 60cc
Deck	Injection Molded ABS
Fuel Mix	25:1
Handle	Length = 50"

AIR FORCE 2-CYCLE ENGINE

Redesigned for increased performance and durability, the NEW JN-60 engine features a double tall air filter and vertical intake to have cleaner air flowing through the engine. A larger fuel tank and strengthened pull starter for greater longevity. This is the strongest yet lightest engine in its class and STILL the only true two stroke engine for all angle mowing.

NEW Air Filter 2x Taller for Cleaner Air Flow and Less Maintenance



Padded Carrying Grip for Easy Transport



ACCESSORIES

HANDLE EXTENSION (AF1260 - FOR F-19 ONLY)

Add 14" to the mower reach with Handle Extension Kit.









HI-LIFT KIT (AF1250 OR AF1550)

Air Force offers an innovative solution to mowing higher with a hover mower. The Hi-Lift Kit features built in bracing and a clip style attachment system that is 100% tool free.

Easy to attach, detach, and clean, this kit allows the F-19 and F-15 to cut higher.




///ATOM®

The Award Winning design of Atom Edgers are paired with the proven power of Honda engines for the fastest walk-behind edgers in the world.

	PRO MAX	Professional
Engine	50CC Honda 4-stroke full crank commercial engine	35CC Honda 4-stroke full crank commercial engine
Body	Reinforced polyamid casing. Fully enclosed solid steel transmission staff.	
Blades	Exclusive patented 4-blade cutting system. Hardened spring steel blades for smoother operation, longer life and neater cutting.	
Features	Heavy duty automatic safety clutch. Easy Lift carrying handle. 6 position height adjustment. Strong steel handle bars. Trigger throttle with safety interlock.	





The wheel barrow design and cross over blades keep this machine on line and moving fast all day long. Cover 300 feet per minute while getting a clean, sharp edge. A multi-purpose tool that can be used for cart paths, baseball fields, sidewalks, landscape beds or as an anti-encroachment tool on greens.







Great for anti-encroachment around greens.

WIRE WHEEL BRUSH BLADE (AT49000)
This accessory blade is the best way to edge asphalt cart paths without damaging the path or tearing up blades. Braided stainless steel wire cleanly clips the grass while brushing along the top of the asphalt. Also dynamic as a crevice cleaner on concrete, brick, pavers and joints.

Designed to outperform and built to outlast, Spyker Spreaders include Accu-Way™ for precise spread pattern control, enclosed die-cast metal gear systems with a Lifetime Warranty, and the Spyker Dial with 90 degrees of adjustability.

NEW ERGO-PRO LINE SPY50L-1P

50 lb. Hopper, PC Frame

SPY50L-2S: ICE

50 lb. Hopper, SS Frame

SPY80-1P

80 lb. Hopper, PC Frame

SPY80-1S

80 lb. Hopper, SS Frame

SPY100-2S: ICE MELT

100 lb. Hopper, SS Frame



120lb capacity, 12 volt motor and multiple mounting options.





Optional: 2" Adjustable Mount (KSPLS15-HITCH) Fits a 2" receiver on UTV. 2 Ratchet Straps and 8' Gate Control Cable are extra. Fits S80-12010

DROP (P70-12010)

120 lb. capacity and 36" wide spread width. Twin hoppers, 80 different settings and powder coated steel frame.

TOW

(SPY200T-1P)

200 lb. high-capacity

frame and metal gears

with lifetime warranty.

featuring one-piece welded powder coated



RIDE ON (S100-12020)

120 lb. capacity, 190cc engine, hydrostatic transmission and marine-grade cables.






SPY80-1S-TD

80 lb. hopper capacity, stainless steel frame, adjustable handle. Includes side deflector and cover.

Top Dressing Kit INCLUDED!

Seamless transition from fertilizer/seed spreader to Top-Dresser.





Drop-In Boomless Sprayer with Wand (SPYDSS-9G)

9 Gallon Capacity, Covers up to 30,000 Sq. Ft. Adjustable 0-60 PSI regulator and 15" wand on 8' hose.

Drop-In Sprayer with Breakaway Boom (SPYDBS-9G)

Four nozzle 62" wide boom for 80" spray width.





HAND HELD (HHS100)

5 lb. capacity, Spreads granular material in small/tight area. Easy scoop shape



Available Accessories





Masport

A worldwide brand that combines great quality, innovative features and value based pricing. Masport mowers feature Briggs and Stratton commercial grade engines are backed with a 1-year top to bottom warranty. Step up in quality, step behind a Masport.





Rear roller rotary striping mower that delivers a high quality cut with a crisp and clean striped finish.

	Engine	Briggs & Stratton 190cc Series 850 Ready Start™	
	Deck	21" - Heavy duty aluminum	
	Wheels	5" rear roller with 8" adjustable dual bearing wheels	
100	Handle System	Reinforced lower handle for added strength. Camlocks for quick release handle fold down.	
	Catcher	Aero Catcher	
	Features	Self Propelled (ground speed 3mph) General Transmission cone clutch 4002 gearbox Heavy rear roller to produce striped finish	
	Height of Cut	3/4" - 25/8"	
	Weight	104 lbs.	



PORTAPUMP (PPH-35)

Powerful, versatile and portable, the PortaPump is a one person pumping station. This self-priming pump is a go anywhere, pump anything machine. The PortaPump can pump 33 GPM through 100' of hose or over a 30' rise without losing pressure. The heavy duty trash pump head will clear water, chemicals or any material up to 1/8" with ease. The Honda engine is powerful, quiet and features a half-speed trigger lock. Ideal for getting water out of bunkers, cart paths, clogged drains, sports fields, flooded rooms, ponds, playgrounds or for help out when irrigation lines break.

Engine	Honda GX-35, 35CC 4-stroke
Output	33 GPM
Discharge Hose	1 1/4" (fittings available)
Features	Metal Impeller, Half Speed Trigger lock, Self-priming



Option Wire Mesh Sand Screen (PP-L80SS)

SEAGO ATTACHMENT GROUP

POWER ROTARY SCISSORS (PRS-9.5: Standard) (PRS-11: Bunker Edger)

Counter rotating blades create a clean, sharp cut in any use. The Power Rotary Scissor(PRS) head is easy to attach and easy to maintain - multiple shaft adaptors are included in the box with the fully assembled head. The PRS head will fit ANY brand and model of straight shaft string trimmer. The 20:1 reduction ratio and automatic stopping blades means the Power Rotary Scissors are incredibly safe, fast and efficient. Blades are easy to sharpen and replace as the gear unit can be completely disassembled for easy maintenance.

The Bunker Edger model has a larger blade to get deeper along the bunker edges. It can be used vertically and/or horizontally to reestablish edges or for a quick and clean trim and easy edge maintenance.

Blades are interchangeable on PRS head for multiple uses.




9.5 inch-Standard











Trim Anywhere with NO Thrown Debris



Edge Cart Paths, Curbs, Parking Lots etc.



Edge Bunkers Fast and Clean



PRS Bunker Edger Head

PORTAPUMP JR. PUMP HEAD (PPH-JR)

The PortaPump Jr. Pump Head is a high quality, 30 GPM pump that will attach to most any brush cutter or string trimmer in the industry. This is a very powerful pump head that turns a string trimmer into a portable pumping station with a 1 1/2" discharge hose. Quickly and easily pump out bunkers, clogged drains, irrigation breaks or any flooded area.



(optional wire mesh screen)



SEAGO KIT (PPH-JR KIT)

Includes PortaPump Jr., Wire Mesh Screen and 20' of discharge hose at a special price.



Why Choose Equipment From SEAGO?

Seago was founded in 1983 is still a family, and veteran, owned company. For over 40 years we have scoured many countries for specialized maintenance equipment that will help golf and landscape professionals increase productivity. Headquartered in Hickory, North Carolina, we pride ourselves on providing fast and personal efficient customer service to our dealers and end users.



John, Kathy, Char, and Scott

Main Office and Warehouse All Areas and International sales@seagousa.com 800-780-9889



Jordy Smith
West (AZ, CA, CO, HI, ID, MT, NV, OR, UT, WA & WY)
jordysmith@connect2.com
801-560-5633

Proud Supporter of





World-class quality and performance are par for the course here at Seago.

We stock all the equipment we offer, and all of the parts as well, to always be ready to help you do more. Set your expectations higher and let Seago help you achieve that goal.

LOCAL DEALER







w w w . s e a g o u s a . c o m **800.780.9889**

229 NINTH ST. NW HICKORY, NC 28601 828.322.9889 FAX: 828.322.8511





& pumpbiz





